


TOSHIBA

COLOUR TELEVISION

218R6E





SPECIFICATIONS

Power Input Rating:	77 watts (nominal), AC175 ~ 270 volts, 50/60Hz
Aerial Input Impedance:	75 ohm unbalanced type VHF and UHF
Receiving Channels:	Any of VHF channels channels 1 to 12 Any of UHF channels channels 21 to 69
Intermediate Frequencies:	Picture I-F carrier frequency 38.9MHz Sound I-F carrier frequency 33.4MHz
Chassis Construction:	IC Solid State, Horizontal Chassis
Picture Tube:	A51JAR44X(MW) (5.1 cm measured on diagonal of viewable picture area) 90° Deflection
Sound Output:	1.5 watts (at 10% harmonic distortion), Max 3.0 watts
Speaker:	Round: 7.7 cm
Cabinet:	Plastic Portable Type
Dimension:	Height 44.85 cm Width 50.0 cm Depth 47.35 cm
Weight (Net):	22.0 kg
Features:	Flat and Square tube, on screen display, VIDEO and AUDIO input/output terminal, Remote Control.


Specifications are subject to change without notice


U902 MAIN BOARD PW6027





U902A MAIN BOARD PW9289-1





BOTTOM (FOIL) SIDE

